

## Section II-iii-A

### Soil Erodibility (K) Factor and Soil-loss Tolerance (T) Value

#### General

Soil erodibility factors (K) and soil-loss tolerances (T) are used in an equation that predicts the amount of soil loss resulting from rainfall erosion of cropland. The soil-loss prediction procedure is useful to guide the selection of practices for soil and water conservation. The procedure is outlined and illustrated in Agricultural Handbook No. 537.

#### Soil Erodibility (K) Factor

The soil erodibility factor "K" indicates the susceptibility of a soil to sheet and rill erosion by water. Soil properties that influence erodibility by water are: (1) Those that affect infiltration rate, movement of water through the soil, and water storage capacity; and (2) those that resist dispersion, splashing, abrasion, and transporting forces from rainfall and runoff. Soil properties that are most important are percent silt plus very fine sand, percent organic matter, percent sand coarser than very fine sand, structure, and permeability. "Kw" is an erodibility factor which quantifies the susceptibility of the soil particles to detachment and movement by water, this factor is adjusted for the effect of rock fragments. "Kf" is an erodibility factor which quantifies the susceptibility of the soil particles to detachment by water.

#### Soil-loss Tolerance (T) Factor

The soil-loss tolerance factor "T" is an estimate of the maximum annual rate of soil erosion that can occur over a sustained period without affecting crop productivity. The rate is expressed in tons of soil loss per acre per year. Rates of 1 through 5 are used, depending upon soil properties and prior erosion.

Soil-loss tolerances were subjectively evaluated, based on the following general guides:

1. Maintenance of an adequate rooting depth for crop production.
2. Potential crop yield reduction.
3. Maintenance of water control structures affected by sedimentation.
4. Prevention of gullies.
5. Value of nutrients lost.

#### Wind Erosion

Potential erodibilty from wind erosion is estimated by multiplying the following factors of the Wind Erosion Equation (WEQ).

1. Climatic characterization of windspeed and surface soil moisture (C)
2. The susceptibility of the soil to wind erosion (I)

The erodibility index for wind erosion is represented by the formula CI/T. A soil map unit is highly erodible if the CI/T value equals or exceed 8.

## Physical Properties of the Soils

Piscataquis County, Maine, Southern Part

Entries under "Erosion Factors--T" apply to the entire profile. Entries under "Wind Erodibility Group" and "Wind Erodibility Index" apply only to the surface layer. Absence of an entry indicates that data were not estimated.

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodibility Group	Wind Erodibility Index
										In	Pct	Pct	Kw	Kf
AdB: Adams	0-8	---	---	0-5	1.00-1.30	42.34-141.14	0.06-0.12	0.0-2.9	2.0-5.0	.17	.17	5	2	134
	8-26	---	---	0-5	1.10-1.45	42.34-141.14	0.03-0.10	0.0-2.9	1.0-3.0	.17	.17			
	26-65	---	---	0-5	1.20-1.50	141.14-705.0	0.03-0.04	0.0-2.9	0.0-0.5	.17	.17			
AEC: Adams	0-4	---	---	0-5	1.00-1.30	42.34-141.14	0.06-0.12	0.0-2.9	2.0-5.0	.17	.17	5	2	134
	4-26	---	---	0-5	1.10-1.45	42.34-141.14	0.03-0.10	0.0-2.9	1.0-3.0	.17	.17			
	26-65	---	---	0-5	1.20-1.50	141.14-705.0	0.03-0.04	0.0-2.9	0.0-0.5	.17	.17			
AFD: Adams	0-4	---	---	0-5	1.00-1.30	42.34-141.14	0.06-0.12	0.0-2.9	2.0-5.0	.17	.17	5	2	134
	4-26	---	---	0-5	1.10-1.45	42.34-141.14	0.03-0.10	0.0-2.9	1.0-3.0	.17	.17			
	26-65	---	---	0-5	1.20-1.50	141.14-705.0	0.03-0.04	0.0-2.9	0.0-0.5	.17	.17			
Allagash	0-7	---	---	3-13	0.95-1.25	4.23-14.11	0.16-0.22	0.0-2.9	0.0-2.0	.37	.37	3	3	86
	7-35	---	---	2-12	1.20-1.50	4.23-14.11	0.10-0.24	0.0-2.9	0.5-4.0	.28	.28			
	35-65	---	---	2-5	1.35-1.65	42.34-141.14	0.06-0.18	0.0-2.9	0.0-0.5	.28	.28			
AgB: Allagash	0-8	---	---	3-13	0.95-1.25	4.23-14.11	0.16-0.22	0.0-2.9	0.0-2.0	.37	.37	3	3	86
	8-35	---	---	2-12	1.20-1.50	4.23-14.11	0.10-0.24	0.0-2.9	0.5-4.0	.28	.28			
	35-65	---	---	2-5	1.35-1.65	42.34-141.14	0.06-0.18	0.0-2.9	0.0-0.5	.28	.28			
AgC: Allagash	0-8	---	---	3-13	0.95-1.25	4.23-14.11	0.16-0.22	0.0-2.9	0.0-2.0	.37	.37	3	3	86
	8-35	---	---	2-12	1.20-1.50	4.23-14.11	0.10-0.24	0.0-2.9	0.5-4.0	.28	.28			
	35-65	---	---	2-5	1.35-1.65	42.34-141.14	0.06-0.18	0.0-2.9	0.0-0.5	.28	.28			
AHC:														

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors				Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Pct	Kw Kw	Kf Kf
AHC: Allagash	0-7	---	---	3-13	0.95-1.25	4.23-14.11	0.16-0.22	0.0-2.9	0.0-2.0	.37	.37	3	3	86	
	7-35	---	---	2-12	1.20-1.50	4.23-14.11	0.10-0.24	0.0-2.9	0.5-4.0	.28	.28				
	35-65	---	---	2-5	1.35-1.65	42.34-141.14	0.06-0.18	0.0-2.9	0.0-0.5	.28	.28				
Adams	0-4	---	---	0-5	1.00-1.30	42.34-141.14	0.06-0.12	0.0-2.9	2.0-5.0	.17	.17	5	2	134	
	4-26	---	---	0-5	1.10-1.45	42.34-141.14	0.03-0.10	0.0-2.9	1.0-3.0	.17	.17				
	26-65	---	---	0-5	1.20-1.50	141.14-705.0	0.03-0.04	0.0-2.9	0.0-0.5	.17	.17				
BeB: Berkshire	0-4	---	---	3-10	1.10-1.15	4.23-42.34	0.06-0.22	0.0-2.9	2.0-5.0	.20	.24	5	8	0	
	4-34	---	---	3-10	1.15-1.30	4.23-42.34	0.10-0.20	0.0-2.9	---	.32	.37				
	34-65	---	---	1-10	1.30-1.60	4.23-42.34	0.10-0.18	0.0-2.9	---	.24	.28				
BFC: Berkshire	0-4	---	---	3-10	1.10-1.15	4.23-42.34	0.06-0.22	0.0-2.9	2.0-5.0	.20	.24	5	8	0	
	4-34	---	---	3-10	1.15-1.30	4.23-42.34	0.10-0.20	0.0-2.9	---	.32	.37				
	34-65	---	---	1-10	1.30-1.60	4.23-42.34	0.10-0.18	0.0-2.9	---	.24	.28				
Lyman	0-3	---	---	2-10	0.75-1.20	14.11-42.34	0.13-0.24	0.0-2.9	---	.20	.28	1	---	---	
	3-15	---	---	2-10	0.90-1.40	14.11-42.34	0.08-0.28	0.0-2.9	---	.32	.37				
	15-19	---	---	---	---	0.07-141.14	---	---	---	---	---				
BFD: Berkshire	0-4	---	---	3-10	1.10-1.15	4.23-42.34	0.06-0.22	0.0-2.9	2.0-5.0	.20	.24	5	8	0	
	4-34	---	---	3-10	1.15-1.30	4.23-42.34	0.10-0.20	0.0-2.9	---	.32	.37				
	34-65	---	---	1-10	1.30-1.60	4.23-42.34	0.10-0.18	0.0-2.9	---	.24	.28				
Lyman	0-3	---	---	2-10	0.75-1.20	14.11-42.34	0.13-0.24	0.0-2.9	---	.20	.28	1	---	---	
	3-15	---	---	2-10	0.90-1.40	14.11-42.34	0.08-0.28	0.0-2.9	---	.32	.37				
	15-19	---	---	---	---	0.07-141.14	---	---	---	---	---				
BhB:															

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
BhB: Boothbay	0-7	---	---	10-25	1.00-1.30	4.23-14.11	0.22-0.30	0.0-2.9	3.0-6.0	.32	.32	3	5	56
	7-20	---	---	18-35	1.20-1.50	0.42-4.23	0.14-0.22	0.0-2.9	0.5-2.0	.49	.49			
	20-65	---	---	18-35	1.55-2.00	0.42-4.23	0.10-0.20	0.0-2.9	0.0-0.5	.49	.49			
BOB: Boothbay	0-7	---	---	10-25	1.00-1.30	4.23-14.11	0.22-0.30	0.0-2.9	3.0-6.0	.32	.32	3	5	56
	7-20	---	---	18-35	1.20-1.50	0.42-4.23	0.14-0.22	0.0-2.9	0.5-2.0	.49	.49			
	20-65	---	---	18-35	1.55-2.00	0.42-4.23	0.10-0.20	0.0-2.9	0.0-0.5	.49	.49			
Swanville	0-7	---	---	10-35	1.00-1.30	4.23-14.11	0.22-0.35	0.0-2.9	3.0-8.0	.28	.28	3	5	56
	7-21	---	---	18-35	1.20-1.70	0.42-4.23	0.14-0.30	0.0-2.9	0.5-3.0	.49	.49			
	21-65	---	---	18-35	1.55-2.00	0.42-4.23	0.10-0.27	0.0-2.9	0.0-0.5	.49	.49			
BP: Brayton	0-7	---	---	4-10	1.00-1.30	4.23-14.11	0.15-0.25	0.0-2.9	4.0-8.0	.15	.28	3	8	0
	7-23	---	---	4-10	1.40-1.65	4.23-14.11	0.12-0.28	0.0-2.9	0.5-2.0	.32	.37			
	23-65	---	---	4-10	1.70-2.00	0.42-4.23	0.01-0.06	0.0-2.9	0.0-0.5	.24	.28			
Peacham	0-13	---	---	---	0.30-0.50	1.41-42.34	0.30-0.40	0.0-2.9	20-60	---	---	2	8	0
	13-18	---	---	3-10	1.20-1.40	4.23-14.11	0.11-0.22	0.0-2.9	---	.28	.32			
	18-65	---	---	3-10	1.80-2.00	0.01-1.41	0.02-0.06	0.0-2.9	---	.28	.32			
CC: Charles	0-8	---	---	2-18	0.90-1.35	4.23-14.11	0.20-0.40	0.0-2.9	5.0-10	.32	.32	5	3	86
	8-48	---	---	2-18	1.00-1.50	4.23-14.11	0.20-0.40	0.0-2.9	1.0-4.0	.49	.49			
	48-65	---	---	0-3	1.20-1.50	4.23-141.14	0.04-0.20	0.0-2.9	0.5-3.0	.20	---			
Cornish	0-10	---	---	2-17	0.95-1.35	4.23-14.11	0.20-0.45	0.0-2.9	2.0-8.0	.32	.32	5	3	86
	10-33	---	---	2-15	0.95-1.45	4.23-14.11	0.20-0.45	0.0-2.9	0.5-2.0	.49	.49			
	33-65	---	---	2-10	1.10-1.50	4.23-14.11	0.18-0.45	0.0-2.9	0.0-1.0	.49	.49			
Wonsqueak	0-4	---	---	---	0.10-0.30	1.41-42.34	0.20-0.40	---	80-99	---	---	2	8	0
	4-31	---	---	---	0.10-0.30	1.41-42.34	0.20-0.40	---	80-99	---	---			
	31-65	---	---	5-30	1.50-1.70	1.41-14.11	0.06-0.16	0.0-2.9	0.0-2.0	.49	.49			

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
CC:														
CeB: Chesuncook	0-6	---	---	5-15	0.70-1.20	4.23-14.11	0.20-0.40	0.0-2.9	3.0-8.0	.28	.28	3	5	56
	6-21	---	---	10-18	0.90-1.60	4.23-14.11	0.20-0.38	0.0-2.9	0.5-3.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
CeC: Chesuncook	0-6	---	---	5-15	0.70-1.20	4.23-14.11	0.20-0.40	0.0-2.9	3.0-8.0	.28	.28	3	5	56
	6-21	---	---	10-18	0.90-1.60	4.23-14.11	0.20-0.38	0.0-2.9	0.5-3.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
CFD: Chesuncook	0-4	---	---	5-15	0.70-0.90	4.23-14.11	0.18-0.29	0.0-2.9	0.0-2.0	.28	.28	3	8	0
	4-21	---	---	10-18	0.70-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-4.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
Elliottsville	0-2	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.32	0.0-2.9	1.0-4.0	.24	.28	2	8	0
	2-22	---	---	10-18	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.28	.32			
	22-26	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.0-0.5	.28	.32			
	26-30	---	---	---	---	0.07-141.14	--	--	--	--	--			
Telos	0-3	---	---	5-13	0.70-1.00	4.23-14.11	0.15-0.25	0.0-2.9	0.0-2.0	.28	.28	3	8	0
	3-21	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-4.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
CHD: Chesuncook	0-4	---	---	5-15	0.70-0.90	4.23-14.11	0.18-0.29	0.0-2.9	0.0-2.0	.28	.28	3	8	0
	4-21	---	---	10-18	0.70-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-4.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
Telos	0-3	---	---	5-13	0.70-1.00	4.23-14.11	0.15-0.25	0.0-2.9	0.0-2.0	.28	.28	3	8	0
	3-21	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-4.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi- bility	Organic Matter	Erosion Factors				Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Pct	Kw Kw	Kf Kf
CoB: Colonel	0-5	---	---	3-10	0.90-1.20	4.23-14.11	0.18-0.28	0.0-2.9	4.0-8.0	.17	.20	2	7	38	
	5-19	---	---	3-10	1.00-1.60	4.23-14.11	0.15-0.25	0.0-2.9	0.5-2.0	.24	.28				
	19-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.15	0.0-2.9	0.0-0.5	.20	.24				
CPB: Colonel	0-4	---	---	3-10	0.90-1.20	4.23-14.11	0.15-0.25	0.0-2.9	0.0-2.0	.17	.20	2	8	0	
	4-19	---	---	3-10	1.00-1.60	4.23-14.11	0.15-0.25	0.0-2.9	0.5-4.0	.24	.28				
	19-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.15	0.0-2.9	0.0-0.5	.20	.24				
Brayton	0-7	---	---	4-10	1.00-1.30	4.23-14.11	0.18-0.28	0.0-2.9	4.0-8.0	.20	.28	3	8	0	
	7-23	---	---	4-10	1.40-1.65	4.23-14.11	0.12-0.28	0.0-2.9	0.5-2.0	.32	.37				
	23-65	---	---	4-10	1.70-2.00	0.42-4.23	0.01-0.06	0.0-2.9	0.0-0.5	.24	.28				
Dixfield	0-5	---	---	3-10	0.90-1.20	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.17	.20	3	8	0	
	5-21	---	---	3-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.24	.28				
	21-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.20	0.0-2.9	0.0-0.5	.20	.24				
CQB: Colonel	0-4	---	---	3-10	0.90-1.20	4.23-14.11	0.15-0.25	0.0-2.9	0.0-2.0	.17	.20	2	8	0	
	4-19	---	---	3-10	1.00-1.60	4.23-14.11	0.15-0.25	0.0-2.9	0.5-4.0	.24	.28				
	19-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.15	0.0-2.9	0.0-0.5	.20	.24				
Brayton	0-7	---	---	4-10	1.00-1.30	4.23-14.11	0.18-0.28	0.0-2.9	4.0-8.0	.20	.28	3	8	0	
	7-23	---	---	4-10	1.40-1.65	4.23-14.11	0.12-0.28	0.0-2.9	0.5-2.0	.32	.37				
	23-65	---	---	4-10	1.70-2.00	0.42-4.23	0.01-0.06	0.0-2.9	0.0-0.5	.24	.28				
CRC: Colonel	0-4	---	---	3-10	0.90-1.20	4.23-14.11	0.12-0.22	0.0-2.9	0.0-2.0	.15	.20	2	8	0	
	4-19	---	---	3-10	1.00-1.60	4.23-14.11	0.15-0.25	0.0-2.9	0.5-4.0	.24	.28				
	19-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.15	0.0-2.9	0.0-0.5	.20	.24				

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
CRC: Hermon	0-4	---	---	2-6	0.85-1.20	14.11-141.14	0.05-0.13	0.0-2.9	0.0-2.0	.10	.17	5	8	0
	4-12	---	---	2-6	0.85-1.20	14.11-141.14	0.06-0.14	0.0-2.9	3.0-7.0	.10	.15			
	12-18	---	---	2-7	0.85-1.30	14.11-141.14	0.05-0.10	0.0-2.9	0.5-3.0	.10	.17			
	18-65	---	---	1-4	1.10-1.70	42.34-141.14	0.02-0.06	0.0-2.9	0.0-0.5	.10	.17			
CsB: Cornish	0-10	---	---	2-17	0.95-1.35	4.23-14.11	0.20-0.45	0.0-2.9	2.0-8.0	.32	.32	5	3	86
	10-33	---	---	2-15	0.95-1.45	4.23-14.11	0.20-0.45	0.0-2.9	0.5-2.0	.49	.49			
	33-65	---	---	2-10	1.10-1.50	4.23-14.11	0.18-0.45	0.0-2.9	0.0-1.0	.49	.49			
	0-8	---	---	2-18	0.90-1.35	4.23-14.11	0.20-0.40	0.0-2.9	5.0-10	.32	.32	5	3	86
Charles	8-48	---	---	2-18	1.00-1.50	4.23-14.11	0.20-0.40	0.0-2.9	1.0-4.0	.49	.49			
	48-65	---	---	0-3	1.20-1.50	4.23-141.14	0.04-0.20	0.0-2.9	0.5-3.0	.20	---			
	0-11	---	---	2-13	1.10-1.35	4.23-14.11	0.20-0.40	0.0-2.9	2.0-6.0	.32	.32	5	5	56
Fryeburg	11-18	---	---	2-13	0.90-1.35	4.23-14.11	0.20-0.45	0.0-2.9	1.0-4.0	.49	.49			
	18-46	---	---	2-13	1.00-1.40	4.23-14.11	0.18-0.40	0.0-2.9	0.5-3.0	.49	.49			
	46-65	---	---	0-3	1.30-1.50	4.23-141.14	0.04-0.13	0.0-2.9	0.0-2.0	.20	---			
	0-10	---	---	2-17	0.95-1.35	4.23-14.11	0.20-0.45	0.0-2.9	2.0-8.0	.32	.32	5	3	86
Cv: Cornish	10-33	---	---	2-15	0.95-1.45	4.23-14.11	0.20-0.45	0.0-2.9	0.5-2.0	.49	.49			
	33-65	---	---	2-10	1.10-1.50	4.23-14.11	0.18-0.45	0.0-2.9	0.0-1.0	.49	.49			
	0-11	---	---	2-14	0.95-1.35	4.23-14.11	0.20-0.35	0.0-2.9	2.0-8.0	.32	.32	5	3	86
Lovewell	11-21	---	---	2-15	0.95-1.40	4.23-14.11	0.20-0.45	0.0-2.9	0.5-2.0	.49	.49			
	21-65	---	---	2-10	1.10-1.50	4.23-14.11	0.18-0.40	0.0-2.9	0.0-1.0	.49	.49			
	0-8	---	---	3-10	1.00-1.30	4.23-14.11	0.12-0.22	0.0-2.9	3.0-8.0	.24	.28	5	8	0
DaB: Danforth	8-31	---	---	1-10	1.10-1.40	4.23-14.11	0.10-0.20	0.0-2.9	0.5-2.0	.15	.20			
	31-65	---	---	1-10	1.20-1.50	14.11-141.14	0.05-0.15	0.0-2.9	0.0-1.0	.15	.20			
	0-8	---	---	3-10	1.00-1.30	4.23-14.11	0.12-0.22	0.0-2.9	3.0-8.0	.24	.28	5	8	0
DBC:														

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi- bility Pct	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
DBC: Danforth	0-4	---	---	3-10	1.00-1.30	4.23-14.11	0.12-0.22	0.0-2.9	0.0-2.0	.24	.28	5	8	0
	4-6	---	---	3-10	1.00-1.40	4.23-14.11	0.12-0.22	0.0-2.9	1.0-6.0	.17	.20			
	6-31	---	---	1-10	1.10-1.40	4.23-14.11	0.10-0.20	0.0-2.9	0.5-2.0	.15	.20			
	31-65	---	---	1-10	1.20-1.50	14.11-141.14	0.05-0.15	0.0-2.9	0.0-1.0	.15	.20			
DBD: Danforth	0-4	---	---	3-10	1.00-1.30	4.23-14.11	0.12-0.22	0.0-2.9	0.0-2.0	.24	.28	5	8	0
	4-6	---	---	3-10	1.00-1.40	4.23-14.11	0.12-0.22	0.0-2.9	1.0-6.0	.17	.20			
	6-31	---	---	1-10	1.10-1.40	4.23-14.11	0.10-0.20	0.0-2.9	0.5-2.0	.15	.20			
	31-65	---	---	1-10	1.20-1.50	14.11-141.14	0.05-0.15	0.0-2.9	0.0-1.0	.15	.20			
DEC: Danforth	0-4	---	---	3-10	1.00-1.30	4.23-14.11	0.12-0.22	0.0-2.9	0.0-2.0	.24	.28	5	8	0
	4-6	---	---	3-10	1.00-1.40	4.23-14.11	0.12-0.22	0.0-2.9	1.0-6.0	.17	.20			
	6-31	---	---	1-10	1.10-1.40	4.23-14.11	0.10-0.20	0.0-2.9	0.5-2.0	.15	.20			
	31-65	---	---	1-10	1.20-1.50	14.11-141.14	0.05-0.15	0.0-2.9	0.0-1.0	.15	.20			
Masardis	0-3	---	---	5-12	0.85-1.15	14.11-42.34	0.08-0.15	0.0-2.9	0.0-2.0	.10	.17	2	7	38
	3-13	---	---	5-12	0.90-1.20	14.11-42.34	0.06-0.15	0.0-2.9	1.0-4.0	.10	.15			
	13-19	---	---	1-8	1.00-1.40	42.34-705.00	0.03-0.10	0.0-2.9	0.5-2.0	.10	.20			
	19-65	---	---	0-5	1.40-1.70	42.34-705.00	0.01-0.06	0.0-2.9	0.0-0.5	.05	.17			
Peacham	0-13	---	---	---	0.30-0.50	1.41-42.34	0.30-0.40	0.0-2.9	20-60	---	---	2	8	0
	13-18	---	---	3-10	1.20-1.40	4.23-14.11	0.11-0.22	0.0-2.9	---	.28	.32			
	18-65	---	---	3-10	1.80-2.00	0.01-1.41	0.02-0.06	0.0-2.9	---	.28	.32			
DfB: Dixfield	0-5	---	---	3-10	0.90-1.20	4.23-14.11	0.20-0.30	0.0-2.9	4.0-8.0	.20	.20	3	3	86
	5-21	---	---	3-10	1.30-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-3.0	.24	.28			
	21-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.20	0.0-2.9	0.0-0.5	.20	.24			
DXC:														

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
DXC: Dixfield	0-5	---	---	3-10	0.90-1.20	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.17	.20	3	8	0
	5-21	---	---	3-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.24	.28			
	21-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.20	0.0-2.9	0.0-0.5	.20	.24			
Colonel	0-4	---	---	3-10	0.90-1.20	4.23-14.11	0.15-0.25	0.0-2.9	0.0-2.0	.17	.20	2	8	0
	4-19	---	---	3-10	1.00-1.60	4.23-14.11	0.15-0.25	0.0-2.9	0.5-4.0	.24	.28			
	19-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.15	0.0-2.9	0.0-0.5	.20	.24			
DYC: Dixfield	0-5	---	---	3-10	0.90-1.20	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.17	.20	3	8	0
	5-21	---	---	3-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.24	.28			
	21-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.20	0.0-2.9	0.0-0.5	.20	.24			
Colonel	0-4	---	---	3-10	0.90-1.20	4.23-14.11	0.15-0.25	0.0-2.9	0.0-2.0	.17	.20	2	8	0
	4-19	---	---	3-10	1.00-1.60	4.23-14.11	0.15-0.25	0.0-2.9	0.5-4.0	.24	.28			
	19-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.15	0.0-2.9	0.0-0.5	.20	.24			
Lyman	0-3	---	---	2-10	0.75-1.20	14.11-42.34	0.13-0.24	0.0-2.9	---	.20	.28	1	---	---
	3-15	---	---	2-10	0.90-1.40	14.11-42.34	0.08-0.28	0.0-2.9	---	.32	.37			
	15-19	---	---	---	---	0.07-141.14	---	---	---	---	---			
EcB: Elliottsville	0-6	---	---	5-15	0.90-1.10	4.23-14.11	0.22-0.35	0.0-2.9	3.0-8.0	.28	.28	2	5	56
	6-22	---	---	10-18	1.10-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-3.0	.28	.32			
	22-26	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.0-0.5	.28	.32			
	26-30	---	---	---	---	0.07-141.14	---	---	---	---	---			
Chesuncook	0-6	---	---	5-15	0.70-1.20	4.23-14.11	0.20-0.40	0.0-2.9	3.0-8.0	.28	.28	3	5	56
	6-21	---	---	10-18	0.90-1.60	4.23-14.11	0.20-0.38	0.0-2.9	0.5-3.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
EMC:														

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi- bility	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
EMC: Elliottsville	0-2	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.32	0.0-2.9	1.0-4.0	.24	.28	2	8	0
	2-22	---	---	10-18	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.28	.32			
	22-26	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.0-0.5	.28	.32			
	26-30	---	---	---	---	0.07-141.14	---	---	---	---	---			
Monson	0-4	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.24	.28	1	8	0
	4-9	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.30	0.0-2.9	2.0-4.0	.28	.32			
	9-18	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.5-2.0	.28	.32			
	18-22	---	---	---	---	0.07-141.14	---	---	---	---	---			
EMD: Elliottsville	0-2	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.32	0.0-2.9	1.0-4.0	.24	.28	2	8	0
	2-22	---	---	10-18	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.28	.32			
	22-26	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.0-0.5	.28	.32			
	26-30	---	---	---	---	0.07-141.14	---	---	---	---	---			
Monson	0-4	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.24	.28	1	8	0
	4-9	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.30	0.0-2.9	2.0-4.0	.28	.32			
	9-18	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.5-2.0	.28	.32			
	18-22	---	---	---	---	0.07-141.14	---	---	---	---	---			
END: Enchanted	0-11	---	---	1-10	0.90-1.20	4.23-42.34	0.18-0.28	0.0-2.9	0.0-2.0	.10	.17	3	8	0
	11-43	---	---	1-10	0.90-1.20	4.23-42.34	0.15-0.25	0.0-2.9	1.0-4.0	.10	.15			
	43-52	---	---	1-10	1.00-1.30	42.34-705.00	0.02-0.20	0.0-2.9	0.0-1.0	.10	.20			
	52-56	---	---	---	---	0.07-141.14	---	---	---	---	---			
ENE: Enchanted	0-11	---	---	1-10	0.90-1.20	4.23-42.34	0.18-0.28	0.0-2.9	0.0-2.0	.10	.17	3	8	0
	11-43	---	---	1-10	0.90-1.20	4.23-42.34	0.15-0.25	0.0-2.9	1.0-4.0	.10	.15			
	43-52	---	---	1-10	1.00-1.30	42.34-705.00	0.02-0.20	0.0-2.9	0.0-1.0	.10	.20			
	52-56	---	---	---	---	0.07-141.14	---	---	---	---	---			

Fr:

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
Fr: Fryeburg	0-11	---	---	2-13	1.10-1.35	4.23-14.11	0.20-0.40	0.0-2.9	2.0-6.0	.32	.32	5	5	56
	11-18	---	---	2-13	0.90-1.35	4.23-14.11	0.20-0.45	0.0-2.9	1.0-4.0	.49	.49			
	18-46	---	---	2-13	1.00-1.40	4.23-14.11	0.18-0.40	0.0-2.9	0.5-3.0	.49	.49			
	46-65	---	---	0-3	1.30-1.50	4.23-705.00	0.04-0.13	0.0-2.9	0.0-2.0	.20	---			
HoB: Howland	0-7	---	---	1-10	0.80-1.30	4.23-14.11	0.29-0.34	0.0-2.9	3.0-8.0	.24	.24	3	5	56
	7-25	---	---	1-10	0.90-1.40	4.23-14.11	0.15-0.28	0.0-2.9	0.5-3.0	.24	.28			
	25-65	---	---	1-10	1.60-1.90	0.42-4.23	0.08-0.12	0.0-2.9	0.0-1.0	.24	.28			
HRB: Howland	0-2	---	---	1-10	0.90-1.30	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.20	.24	3	8	0
	2-25	---	---	1-10	0.80-1.40	4.23-14.11	0.15-0.32	0.0-2.9	0.5-6.0	.24	.28			
	25-65	---	---	1-10	1.60-1.90	0.42-4.23	0.08-0.12	0.0-2.9	0.0-1.0	.24	.28			
Monarda	0-4	---	---	10-18	1.00-1.30	4.23-42.34	0.15-0.30	0.0-2.9	0.0-8.0	.20	.28	2	8	0
	4-14	---	---	10-18	1.30-1.70	1.40-14.11	0.15-0.25	0.0-2.9	0.0-4.0	.28	.32			
	14-65	---	---	10-18	1.70-1.95	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.28	.32			
LAD: Lyman	0-3	---	---	2-10	0.75-1.20	14.11-42.34	0.13-0.24	0.0-2.9	---	.20	.28	1	---	---
	3-15	---	---	2-10	0.90-1.40	14.11-42.34	0.08-0.28	0.0-2.9	---	.32	.37			
	15-19	---	---	---	---	0.07-141.14	---	---	---	---	---			
Abram	0-6	---	---	1-10	0.90-1.10	14.11-42.34	0.15-0.25	0.0-2.9	2.0-4.0	.15	.28	1	8	0
	6-10	---	---	---	---	0.07-141.14	---	---	---	---	---			
LAE: Lyman	0-3	---	---	2-10	0.75-1.20	14.11-42.34	0.13-0.24	0.0-2.9	---	.20	.28	1	---	---
	3-15	---	---	2-10	0.90-1.40	14.11-42.34	0.08-0.28	0.0-2.9	---	.32	.37			
	15-19	---	---	---	---	0.07-141.14	---	---	---	---	---			
Abram	0-6	---	---	1-10	0.90-1.10	14.11-42.34	0.15-0.25	0.0-2.9	2.0-4.0	.15	.28	1	8	0
	6-10	---	---	---	---	0.07-141.14	---	---	---	---	---			

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
		In	Pct	Pct	Pct	g/cc	micro m/sec	In/In		bility Pct	Kw Kw	Kf Kf	T T	
LAE:														
LTD:														
Lyman	0-3	---	---	2-10	0.75-1.20	14.11-42.34	0.13-0.24	0.0-2.9	---	.20	.28	1	---	---
	3-15	---	---	2-10	0.90-1.40	14.11-42.34	0.08-0.28	0.0-2.9	---	.32	.37			
	15-19	---	---	---	---	0.07-141.14	---	---	---	---	---			
Tunbridge	0-3	---	---	5-9	0.80-1.20	4.23-42.34	0.11-0.21	0.0-2.9	2.0-8.0	.20	.24	2	8	0
	3-25	---	---	3-9	1.20-1.40	4.23-42.34	0.10-0.21	0.0-2.9	2.0-6.0	.20	.24			
	25-33	---	---	3-7	1.20-1.50	4.23-42.34	0.09-0.15	0.0-2.9	1.0-2.0	.20	.24			
	33-37	---	---	---	---	0.07-141.14	---	---	---	---	---			
LTE:														
Lyman	0-3	---	---	2-10	0.75-1.20	14.11-42.34	0.13-0.24	0.0-2.9	---	.20	.28	1	---	---
	3-15	---	---	2-10	0.90-1.40	14.11-42.34	0.08-0.28	0.0-2.9	---	.32	.37			
	15-19	---	---	---	---	0.07-141.14	---	---	---	---	---			
Tunbridge	0-3	---	---	5-9	0.80-1.20	4.23-42.34	0.11-0.21	0.0-2.9	2.0-8.0	.20	.24	2	8	0
	3-25	---	---	3-9	1.20-1.40	4.23-42.34	0.10-0.21	0.0-2.9	2.0-6.0	.20	.24			
	25-33	---	---	3-7	1.20-1.50	4.23-42.34	0.09-0.15	0.0-2.9	1.0-2.0	.20	.24			
	33-37	---	---	---	---	0.07-141.14	---	---	---	---	---			
MaC:														
Marlow	0-7	---	---	3-10	1.00-1.30	4.23-14.11	0.10-0.23	0.0-2.9	2.0-6.0	.24	.24	3	3	86
	7-29	---	---	3-10	1.30-1.60	4.23-14.11	0.06-0.20	0.0-2.9	---	.32	.37			
	29-65	---	---	3-10	1.70-2.05	0.42-4.23	0.05-0.12	0.0-2.9	---	.20	.24			
MDD:														
Marlow	0-3	---	---	3-10	1.00-1.30	4.23-14.11	0.10-0.23	0.0-2.9	---	.20	.24	3	3	86
	3-29	---	---	3-10	1.30-1.60	4.23-14.11	0.06-0.20	0.0-2.9	---	.32	.37			
	29-65	---	---	3-10	1.70-2.05	0.42-4.23	0.05-0.12	0.0-2.9	---	.20	.24			
Dixfield	0-5	---	---	3-10	0.90-1.20	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.17	.20	3	8	0
	5-21	---	---	3-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.24	.28			
	21-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.20	0.0-2.9	0.0-0.5	.20	.24			

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
		In	Pct	Pct	Pct	g/cc	micro m/sec	In/In		bility Pct	Pct	Kw Kw	Kf Kf	T T
MDD:														
MLE:														
Marlow	0-3	---	---	3-10	1.00-1.30	4.23-14.11	0.10-0.23	0.0-2.9	---	.20	.24	3	3	86
	3-29	---	---	3-10	1.30-1.60	4.23-14.11	0.06-0.20	0.0-2.9	---	.32	.37			
	29-65	---	---	3-10	1.70-2.05	0.42-4.23	0.05-0.12	0.0-2.9	---	.20	.24			
Lyman	0-3	---	---	2-10	0.75-1.20	14.11-42.34	0.13-0.24	0.0-2.9	---	.20	.28	1	---	---
	3-15	---	---	2-10	0.90-1.40	14.11-42.34	0.08-0.28	0.0-2.9	---	.32	.37			
	15-19	---	---	---	---	0.07-141.14	--	--	---	--	--			
Berkshire	0-4	---	---	3-10	1.10-1.15	4.23-42.34	0.06-0.22	0.0-2.9	2.0-5.0	.20	.24	5	8	0
	4-34	---	---	3-10	1.15-1.30	4.23-42.34	0.10-0.20	0.0-2.9	---	.32	.37			
	34-65	---	---	1-10	1.30-1.60	4.23-42.34	0.10-0.18	0.0-2.9	---	.24	.28			
MND:														
Marlow	0-3	---	---	3-10	1.00-1.30	4.23-14.11	0.10-0.23	0.0-2.9	---	.20	.24	3	3	86
	3-29	---	---	3-10	1.30-1.60	4.23-14.11	0.06-0.20	0.0-2.9	---	.32	.37			
	29-65	---	---	3-10	1.70-2.05	0.42-4.23	0.05-0.12	0.0-2.9	---	.20	.24			
Dixfield	0-5	---	---	3-10	0.90-1.20	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.17	.20	3	8	0
	5-21	---	---	3-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.24	.28			
	21-65	---	---	3-10	1.65-1.95	0.42-4.23	0.08-0.20	0.0-2.9	0.0-0.5	.20	.24			
Lyman	0-3	---	---	2-10	0.75-1.20	14.11-42.34	0.13-0.24	0.0-2.9	---	.20	.28	1	---	---
	3-15	---	---	2-10	0.90-1.40	14.11-42.34	0.08-0.28	0.0-2.9	---	.32	.37			
	15-19	---	---	---	---	0.07-141.14	--	--	---	--	--			
MrB:														
Masardis	0-8	---	---	5-12	0.85-1.15	14.11-42.34	0.08-0.15	0.0-2.9	0.0-2.0	.10	.17	2	7	38
	8-13	---	---	5-12	0.90-1.20	14.11-42.34	0.06-0.15	0.0-2.9	1.0-4.0	.10	.15			
	13-19	---	---	1-8	1.00-1.40	42.34-705.00	0.03-0.10	0.0-2.9	0.5-2.0	.10	.20			
	19-65	---	---	0-5	1.40-1.70	42.34-705.00	0.01-0.06	0.0-2.9	0.0-0.5	.05	.17			
MSC:														

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
MSC: Masardis	0-3	---	---	5-12	0.85-1.15	14.11-42.34	0.08-0.15	0.0-2.9	0.0-2.0	.10	.17	2	7	38
	3-13	---	---	5-12	0.90-1.20	14.11-42.34	0.06-0.15	0.0-2.9	1.0-4.0	.10	.15			
	13-19	---	---	1-8	1.00-1.40	42.34-705.00	0.03-0.10	0.0-2.9	0.5-2.0	.10	.20			
	19-65	---	---	0-5	1.40-1.70	42.34-705.00	0.01-0.06	0.0-2.9	0.0-0.5	.05	.17			
MTE: Masardis	0-3	---	---	5-12	0.85-1.15	14.11-42.34	0.08-0.15	0.0-2.9	0.0-2.0	.10	.17	2	7	38
	3-13	---	---	5-12	0.90-1.20	14.11-42.34	0.06-0.15	0.0-2.9	1.0-4.0	.10	.15			
	13-19	---	---	1-8	1.00-1.40	42.34-705.00	0.03-0.10	0.0-2.9	0.5-2.0	.10	.20			
	19-65	---	---	0-5	1.40-1.70	42.34-705.00	0.01-0.06	0.0-2.9	0.0-0.5	.05	.17			
Adams	0-4	---	---	0-5	1.00-1.30	42.34-141.14	0.06-0.12	0.0-2.9	2.0-5.0	.17	.17	5	2	134
	4-26	---	---	0-5	1.10-1.45	42.34-141.14	0.03-0.10	0.0-2.9	1.0-3.0	.17	.17			
	26-65	---	---	0-5	1.20-1.50	141.14-705.00	0.03-0.04	0.0-2.9	0.0-0.5	.17	.17			
MvB: Monarda	0-4	---	---	10-18	1.00-1.30	4.23-42.34	0.17-0.32	0.0-2.9	3.0-8.0	.28	.28	2	5	56
	4-14	---	---	10-18	1.30-1.70	1.40-14.11	0.15-0.32	0.0-2.9	0.0-4.0	.28	.32			
	14-65	---	---	10-18	1.70-1.95	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.28	.32			
MW: Monarda	0-4	---	---	10-18	1.00-1.30	4.23-42.34	0.15-0.30	0.0-2.9	0.0-8.0	.20	.28	2	8	0
	4-14	---	---	10-18	1.30-1.70	1.40-14.11	0.15-0.25	0.0-2.9	0.0-4.0	.28	.32			
	14-65	---	---	10-18	1.70-1.95	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.28	.32			
Burnham	0-13	---	---	0	0.10-0.30	1.41-42.34	0.32-0.42	---	25-70	---	---	2	8	0
	13-18	---	---	10-18	1.30-1.70	1.41-4.23	0.16-0.35	0.0-2.9	0.5-10	.28	.32			
	18-65	---	---	10-18	1.70-1.95	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.28	.32			
MXB: Monarda	0-4	---	---	10-18	1.00-1.30	4.23-42.34	0.15-0.30	0.0-2.9	0.0-8.0	.20	.28	2	8	0
	4-14	---	---	10-18	1.30-1.70	1.40-14.11	0.15-0.25	0.0-2.9	0.0-4.0	.28	.32			
	14-65	---	---	10-18	1.70-1.95	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.28	.32			

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi- bility	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
<b>MXB:</b>														
Howland	0-2	---	---	1-10	0.90-1.30	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.20	.24	3	8	0
	2-25	---	---	1-10	0.80-1.40	4.23-14.11	0.15-0.32	0.0-2.9	0.5-6.0	.24	.28			
	25-65	---	---	1-10	1.60-1.90	0.42-4.23	0.08-0.12	0.0-2.9	0.0-1.0	.24	.28			
Thorndike	0-4	---	---	5-10	0.90-1.20	4.23-14.11	0.12-0.22	0.0-2.9	0.0-2.0	.17	.28	1	8	0
	4-18	---	---	5-10	1.00-1.30	4.23-14.11	0.09-0.22	0.0-2.9	0.5-4.0	.17	.24			
	18-22	---	---	---	---	0.07-141.14	--	--	--	--	--			
<b>MYD:</b>														
Monson	0-4	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.24	.28	1	8	0
	4-9	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.30	0.0-2.9	2.0-4.0	.28	.32			
	9-18	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.5-2.0	.28	.32			
	18-22	---	---	---	---	0.07-141.14	--	--	--	--	--			
Elliottsville	0-2	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.32	0.0-2.9	1.0-4.0	.24	.28	2	8	0
	2-22	---	---	10-18	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.28	.32			
	22-26	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.0-0.5	.28	.32			
	26-30	---	---	---	---	0.07-141.14	--	--	--	--	--			
Ricker	0-2	---	---	---	0.07-0.30	14.11-42.34	0.45-0.65	0.0-2.9	---	---	---	1	7	38
	2-4	---	---	---	0.15-0.60	14.11-42.34	0.35-0.45	0.0-2.9	---	---	---			
	4-5	---	---	3-18	1.35-1.80	4.23-42.34	0.06-0.18	0.0-2.9	---	.49	.55			
	5-9	---	---	---	---	0.07-141.14	--	--	--	--	--			
<b>MYE:</b>														
Monson	0-4	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.24	.28	1	8	0
	4-9	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.30	0.0-2.9	2.0-4.0	.28	.32			
	9-18	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.5-2.0	.28	.32			
	18-22	---	---	---	---	0.07-141.14	--	--	--	--	--			

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
MYE: Elliottsville	0-2	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.32	0.0-2.9	1.0-4.0	.24	.28	2	8	0
	2-22	---	---	10-18	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.28	.32			
	22-26	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.0-0.5	.28	.32			
	26-30	---	---	---	---	0.07-141.14	---	---	---	---	---			
Ricker	0-2	---	---	---	0.07-0.30	14.11-42.34	0.45-0.65	0.0-2.9	---	---	---	1	7	38
	2-4	---	---	---	0.15-0.60	14.11-42.34	0.35-0.45	0.0-2.9	---	---	---			
	4-5	---	---	3-18	1.35-1.80	4.23-42.34	0.06-0.18	0.0-2.9	---	.49	.55			
	5-9	---	---	---	---	0.07-141.14	---	---	---	---	---			
PeB: Penquis	0-7	---	---	4-10	0.70-1.00	4.23-14.11	0.26-0.32	0.0-2.9	3.0-9.0	.32	.32	2	5	56
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43			
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37			
	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---			
Plaisted	0-7	---	---	1-10	0.80-1.30	4.23-14.11	0.29-0.34	0.0-2.9	3.0-8.0	.20	.20	3	5	56
	7-28	---	---	1-10	0.90-1.40	4.23-14.11	0.15-0.25	0.0-2.9	0.5-3.0	.24	.28			
	28-65	---	---	1-10	1.60-1.90	0.42-4.23	0.07-0.12	0.0-2.9	0.0-1.0	.24	.28			
PeC: Penquis	0-7	---	---	4-10	0.70-1.00	4.23-14.11	0.26-0.32	0.0-2.9	3.0-9.0	.32	.32	2	5	56
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43			
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37			
	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---			
Plaisted	0-7	---	---	1-10	0.80-1.30	4.23-14.11	0.29-0.34	0.0-2.9	3.0-8.0	.20	.20	3	5	56
	7-28	---	---	1-10	0.90-1.40	4.23-14.11	0.15-0.25	0.0-2.9	0.5-3.0	.24	.28			
	28-65	---	---	1-10	1.60-1.90	0.42-4.23	0.07-0.12	0.0-2.9	0.0-1.0	.24	.28			
PFC: Berkshire	0-4	---	---	3-10	1.10-1.15	4.23-42.34	0.06-0.22	0.0-2.9	2.0-5.0	.20	.24	5	8	0
	4-34	---	---	3-10	1.15-1.30	4.23-42.34	0.10-0.20	0.0-2.9	---	.32	.37			
	34-65	---	---	1-10	1.30-1.60	4.23-42.34	0.10-0.18	0.0-2.9	---	.24	.28			

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi- bility	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index					
										In	Pct	Pct	g/cc	micro m/sec	In/In	Pct	Kw Kw	Kf Kf	T T
<b>PFC:</b>																			
Penquis	0-7	---	---	4-10	0.70-1.00	4.23-14.11	0.22-0.28	0.0-2.9	3.0-9.0	.28	.32	2	8	0					
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43								
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37								
	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---								
Plaisted	0-3	---	---	1-10	0.90-1.30	4.23-14.11	0.20-0.28	0.0-2.9	0.0-2.0	.20	.20	3	8	0					
	3-28	---	---	1-10	0.80-1.40	4.23-14.11	0.15-0.32	0.0-2.9	0.5-6.0	.24	.28								
	28-65	---	---	1-10	1.60-1.90	0.42-4.23	0.07-0.12	0.0-2.9	0.0-1.0	.24	.28								
<b>PhB:</b>																			
Penquis	0-7	---	---	4-10	0.70-1.00	4.23-14.11	0.26-0.32	0.0-2.9	3.0-9.0	.32	.32	2	5	56					
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43								
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37								
	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---								
Thorndike	0-7	---	---	5-10	1.00-1.30	4.23-14.11	0.12-0.24	0.0-2.9	2.0-8.0	.20	.28	1	7	38					
	7-18	---	---	5-10	1.00-1.30	4.23-14.11	0.09-0.22	0.0-2.9	0.5-3.0	.17	.24								
	18-22	---	---	---	---	0.07-141.14	---	---	---	---	---								
<b>PhC:</b>																			
Penquis	0-7	---	---	4-10	0.70-1.00	4.23-14.11	0.26-0.32	0.0-2.9	3.0-9.0	.32	.32	2	5	56					
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43								
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37								
	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---								
Thorndike	0-7	---	---	5-10	1.00-1.30	4.23-14.11	0.12-0.24	0.0-2.9	2.0-8.0	.20	.28	1	7	38					
	7-18	---	---	5-10	1.00-1.30	4.23-14.11	0.09-0.22	0.0-2.9	0.5-3.0	.17	.24								
	18-22	---	---	---	---	0.07-141.14	---	---	---	---	---								
<b>Ps:</b>																			
Pits	0-6	---	---	0-1	---	42.34-705.00	0.01-0.02	0.0-2.9	0.0-0.1	.02	---	---	8	0					
	6-60	---	---	0-1	---	42.34-705.00	0.01-0.02	0.0-2.9	---	.02	---								

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
PtB: Plaisted	0-7	---	---	1-10	0.80-1.30	4.23-14.11	0.29-0.34	0.0-2.9	3.0-8.0	.20	.20	3	5	56
	7-28	---	---	1-10	0.90-1.40	4.23-14.11	0.15-0.25	0.0-2.9	0.5-3.0	.24	.28			
	28-65	---	---	1-10	1.60-1.90	0.42-4.23	0.07-0.12	0.0-2.9	0.0-1.0	.24	.28			
PtC: Plaisted	0-7	---	---	1-10	0.80-1.30	4.23-14.11	0.29-0.34	0.0-2.9	3.0-8.0	.20	.20	3	5	56
	7-28	---	---	1-10	0.90-1.40	4.23-14.11	0.15-0.25	0.0-2.9	0.5-3.0	.24	.28			
	28-65	---	---	1-10	1.60-1.90	0.42-4.23	0.07-0.12	0.0-2.9	0.0-1.0	.24	.28			
PWC: Howland	0-2	---	---	1-10	0.90-1.30	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.20	.24	3	8	0
	2-25	---	---	1-10	0.80-1.40	4.23-14.11	0.15-0.32	0.0-2.9	0.5-6.0	.24	.28			
	25-65	---	---	1-10	1.60-1.90	0.42-4.23	0.08-0.12	0.0-2.9	0.0-1.0	.24	.28			
Plaisted	0-3	---	---	1-10	0.90-1.30	4.23-14.11	0.20-0.28	0.0-2.9	0.0-2.0	.20	.20	3	8	0
	3-28	---	---	1-10	0.80-1.40	4.23-14.11	0.15-0.32	0.0-2.9	0.5-6.0	.24	.28			
	28-65	---	---	1-10	1.60-1.90	0.42-4.23	0.07-0.12	0.0-2.9	0.0-1.0	.24	.28			
Penquis	0-7	---	---	4-10	0.70-1.00	4.23-14.11	0.22-0.28	0.0-2.9	3.0-9.0	.28	.32	2	8	0
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43			
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37			
	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---			
PWD: Penquis	0-7	---	---	4-10	0.70-1.00	4.23-14.11	0.22-0.28	0.0-2.9	3.0-9.0	.28	.32	2	8	0
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43			
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37			
	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---			
Plaisted	0-3	---	---	1-10	0.90-1.30	4.23-14.11	0.20-0.28	0.0-2.9	0.0-2.0	.20	.20	3	8	0
	3-28	---	---	1-10	0.80-1.40	4.23-14.11	0.15-0.32	0.0-2.9	0.5-6.0	.24	.28			
	28-65	---	---	1-10	1.60-1.90	0.42-4.23	0.07-0.12	0.0-2.9	0.0-1.0	.24	.28			

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi- bility	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
PWD: Howland	0-2	---	---	1-10	0.90-1.30	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.20	.24	3	8	0
	2-25	---	---	1-10	0.80-1.40	4.23-14.11	0.15-0.32	0.0-2.9	0.5-6.0	.24	.28			
	25-65	---	---	1-10	1.60-1.90	0.42-4.23	0.08-0.12	0.0-2.9	0.0-1.0	.24	.28			
ROD: Ricker	0-2	---	---	---	0.07-0.30	14.11-42.34	0.45-0.65	0.0-2.9	---	---	---	1	7	38
	2-4	---	---	---	0.15-0.60	14.11-42.34	0.35-0.45	0.0-2.9	---	---	---			
	4-5	---	---	3-18	1.35-1.80	4.23-42.34	0.06-0.18	0.0-2.9	---	.49	.55			
	5-9	---	---	---	---	0.07-141.14	---	---	---	---	---			
Rock Outcrop	0-4	---	---	---	---	---	---	---	---	---	---	---	8	0
SRD: Saddleback	0-7	---	---	1-5	1.00-1.20	4.23-14.11	0.15-0.22	0.0-2.9	0.0-2.0	.24	.28	1	8	0
	7-15	---	---	2-10	0.80-1.10	4.23-14.11	0.15-0.30	0.0-2.9	2.0-8.0	.28	.32			
	15-19	---	---	---	---	0.07-141.14	---	---	---	---	---			
Ricker	0-2	---	---	---	0.07-0.30	14.11-42.34	0.45-0.65	0.0-2.9	---	---	---	1	7	38
	2-4	---	---	---	0.15-0.60	14.11-42.34	0.35-0.45	0.0-2.9	---	---	---			
	4-5	---	---	3-18	1.35-1.80	4.23-42.34	0.06-0.18	0.0-2.9	---	.49	.55			
	5-9	---	---	---	---	0.07-141.14	---	---	---	---	---			
SRE: Saddleback	0-7	---	---	1-5	1.00-1.20	4.23-14.11	0.15-0.22	0.0-2.9	0.0-2.0	.24	.28	1	8	0
	7-15	---	---	2-10	0.80-1.10	4.23-14.11	0.15-0.30	0.0-2.9	2.0-8.0	.28	.32			
	15-19	---	---	---	---	0.07-141.14	---	---	---	---	---			
Ricker	0-2	---	---	---	0.07-0.30	14.11-42.34	0.45-0.65	0.0-2.9	---	---	---	1	7	38
	2-4	---	---	---	0.15-0.60	14.11-42.34	0.35-0.45	0.0-2.9	---	---	---			
	4-5	---	---	3-18	1.35-1.80	4.23-42.34	0.06-0.18	0.0-2.9	---	.49	.55			
	5-9	---	---	---	---	0.07-141.14	---	---	---	---	---			
SUD:														

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
SUD: Surplus	0-6	---	---	3-10	0.90-1.10	4.23-14.11	0.15-0.30	0.0-2.9	0.0-2.0	.28	.32	3	8	0
	6-26	---	---	3-10	1.20-1.50	4.23-14.11	0.15-0.25	0.0-2.9	0.5-4.0	.32	.37			
	26-65	---	---	3-15	1.60-1.90	0.01-4.23	0.05-0.12	0.0-2.9	0.0-0.5	.32	.37			
Sv: Swanville	0-7	---	---	10-35	1.00-1.30	4.23-14.11	0.22-0.35	0.0-2.9	3.0-8.0	.28	.28	3	5	56
	7-21	---	---	18-35	1.20-1.70	0.42-4.23	0.14-0.30	0.0-2.9	0.5-3.0	.49	.49			
	21-65	---	---	18-35	1.55-2.00	0.42-4.23	0.10-0.27	0.0-2.9	0.0-0.5	.49	.49			
SW: Swanville	0-7	---	---	10-35	1.00-1.30	4.23-14.11	0.22-0.35	0.0-2.9	3.0-8.0	.28	.28	3	5	56
	7-21	---	---	18-35	1.20-1.70	0.42-4.23	0.14-0.30	0.0-2.9	0.5-3.0	.49	.49			
	21-65	---	---	18-35	1.55-2.00	0.42-4.23	0.10-0.27	0.0-2.9	0.0-0.5	.49	.49			
Wonsqueak	0-4	---	---	---	0.10-0.30	1.41-42.34	0.20-0.40	---	80-99	---	---	2	8	0
	4-31	---	---	---	0.10-0.30	1.41-42.34	0.20-0.40	---	80-99	---	---			
	31-65	---	---	5-30	1.50-1.70	1.41-14.11	0.06-0.16	0.0-2.9	0.0-2.0	.49	.49			
TeB: Telos	0-5	---	---	5-13	0.90-1.20	4.23-14.11	0.20-0.35	0.0-2.9	3.0-8.0	.28	.28	3	5	56
	5-21	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-3.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
THC: Telos	0-3	---	---	5-13	0.70-1.00	4.23-14.11	0.15-0.25	0.0-2.9	0.0-2.0	.28	.28	3	8	0
	3-21	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-4.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
Chesuncook	0-4	---	---	5-15	0.70-0.90	4.23-14.11	0.18-0.29	0.0-2.9	0.0-2.0	.28	.28	3	8	0
	4-21	---	---	10-18	0.70-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-4.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
TLC:														

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi- bility	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
TLC: Telos	0-3	---	---	5-13	0.70-1.00	4.23-14.11	0.15-0.25	0.0-2.9	0.0-2.0	.28	.28	3	8	0
	3-21	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-4.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
Chesuncook	0-4	---	---	5-15	0.70-0.90	4.23-14.11	0.18-0.29	0.0-2.9	0.0-2.0	.28	.28	3	8	0
	4-21	---	---	10-18	0.70-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-4.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
Elliottsville	0-2	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.32	0.0-2.9	1.0-4.0	.24	.28	2	8	0
	2-22	---	---	10-18	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.5-4.0	.28	.32			
	22-26	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.0-0.5	.28	.32			
	26-30	---	---	---	---	0.07-141.14	--	--	--	--	--			
TMB: Telos	0-3	---	---	5-13	0.70-1.00	4.23-14.11	0.15-0.25	0.0-2.9	0.0-2.0	.28	.28	3	8	0
	3-21	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-4.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
Monarda	0-4	---	---	10-18	1.00-1.30	4.23-42.34	0.15-0.30	0.0-2.9	0.0-8.0	.20	.28	2	8	0
	4-14	---	---	10-18	1.30-1.70	1.40-14.11	0.15-0.25	0.0-2.9	0.0-4.0	.28	.32			
	14-65	---	---	10-18	1.70-1.95	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.28	.32			
TNB: Telos	0-3	---	---	5-13	0.70-1.00	4.23-14.11	0.15-0.25	0.0-2.9	0.0-2.0	.28	.28	3	8	0
	3-21	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.40	0.0-2.9	0.5-4.0	.32	.37			
	21-65	---	---	10-18	1.60-1.90	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.32	.37			
Monarda	0-4	---	---	10-18	1.00-1.30	4.23-42.34	0.15-0.30	0.0-2.9	0.0-8.0	.20	.28	2	8	0
	4-14	---	---	10-18	1.30-1.70	1.40-14.11	0.15-0.25	0.0-2.9	0.0-4.0	.28	.32			
	14-65	---	---	10-18	1.70-1.95	0.01-1.41	0.05-0.10	0.0-2.9	0.0-0.5	.28	.32			

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct	Kw Kw	Kf Kf
TNB: Monson	0-4	---	---	5-15	0.70-1.00	4.23-14.11	0.18-0.28	0.0-2.9	0.0-2.0	.24	.28	1	8	0
	4-9	---	---	10-18	1.30-1.60	4.23-14.11	0.20-0.30	0.0-2.9	2.0-4.0	.28	.32			
	9-18	---	---	10-18	1.40-1.70	4.23-14.11	0.15-0.25	0.0-2.9	0.5-2.0	.28	.32			
	18-22	---	---	---	---	0.07-141.14	---	---	---	---	---			
ToC: Thorndike	0-7	---	---	5-10	1.00-1.30	4.23-14.11	0.12-0.24	0.0-2.9	2.0-8.0	.20	.28	1	7	38
	7-18	---	---	5-10	1.00-1.30	4.23-14.11	0.09-0.22	0.0-2.9	0.5-3.0	.17	.24			
	18-22	---	---	---	---	0.07-141.14	---	---	---	---	---			
	0-6	---	---	1-6	0.90-1.10	14.11-42.34	0.15-0.25	0.0-2.9	2.0-4.0	.32	.37	1	5	56
Abram	6-10	---	---	---	---	0.07-141.14	---	---	---	---	---			
	0-4	---	---	5-10	0.90-1.20	4.23-14.11	0.12-0.22	0.0-2.9	0.0-2.0	.17	.28	1	8	0
	4-18	---	---	5-10	1.00-1.30	4.23-14.11	0.09-0.22	0.0-2.9	0.5-4.0	.17	.24			
	18-22	---	---	---	---	0.07-141.14	---	---	---	---	---			
TRC: Thorndike	0-6	---	---	1-10	0.90-1.10	14.11-42.34	0.15-0.25	0.0-2.9	2.0-4.0	.15	.28	1	8	0
	6-10	---	---	---	---	0.07-141.14	---	---	---	---	---			
	0-6	---	---	5-10	0.90-1.20	4.23-14.11	0.12-0.22	0.0-2.9	0.0-2.0	.17	.28	1	8	0
	4-18	---	---	5-10	1.00-1.30	4.23-14.11	0.09-0.22	0.0-2.9	0.5-4.0	.17	.24			
Abram	18-22	---	---	---	---	0.07-141.14	---	---	---	---	---			
	0-6	---	---	4-10	0.70-1.00	4.23-14.11	0.22-0.28	0.0-2.9	3.0-9.0	.28	.32	2	8	0
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43			
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37			
Penquis	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---			
	0-7	---	---	4-10	0.70-1.00	4.23-14.11	0.22-0.28	0.0-2.9	3.0-9.0	.28	.32			
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43			
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37			
TtB:	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---			

## Physical Properties of the Soils - Continued

Piscataquis County, Maine, Southern Part

Map Symbol and Soil Name	Depth	Sand	Silt	Clay	Moist Bulk Density	Saturated Hydraulic Conductivity	Available Water Capacity	Linear Extensi-	Organic Matter	Erosion Factors			Wind Erodi- bility Group	Wind Erodi- bility Index
										In	Pct	Pct		
TtB: Thorndike	0-7	---	---	5-10	1.00-1.30	4.23-14.11	0.12-0.24	0.0-2.9	2.0-8.0	.20	.28	1	7	38
	7-18	---	---	5-10	1.00-1.30	4.23-14.11	0.09-0.22	0.0-2.9	0.5-3.0	.17	.24			
	18-22	---	---	---	---	0.07-141.14	---	---	---	---	---			
Penquis	0-7	---	---	4-10	0.70-1.00	4.23-14.11	0.26-0.32	0.0-2.9	3.0-9.0	.32	.32	2	5	56
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43			
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37			
	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---			
Abram	0-6	---	---	1-6	0.90-1.10	14.11-42.34	0.15-0.25	0.0-2.9	2.0-4.0	.32	.37	1	5	56
	6-10	---	---	---	---	0.07-141.14	---	---	---	---	---			
UpB: Urban Land	0-6	---	---	---	---	---	0.00	---	---	---	---	---	---	---
Penquis	0-7	---	---	4-10	0.70-1.00	4.23-14.11	0.26-0.32	0.0-2.9	3.0-9.0	.32	.32	2	5	56
	7-14	---	---	4-10	0.90-1.50	4.23-14.11	0.21-0.40	0.0-2.9	1.0-6.0	.37	.43			
	14-32	---	---	4-10	1.00-1.60	4.23-14.11	0.20-0.30	0.0-2.9	0.0-1.0	.32	.37			
	32-36	---	---	---	---	0.07-141.14	---	---	---	---	---			
Plaisted	0-7	---	---	1-10	0.80-1.30	4.23-14.11	0.29-0.34	0.0-2.9	3.0-8.0	.20	.20	3	5	56
	7-28	---	---	1-10	0.90-1.40	4.23-14.11	0.15-0.25	0.0-2.9	0.5-3.0	.24	.28			
	28-65	---	---	1-10	1.60-1.90	0.42-4.23	0.07-0.12	0.0-2.9	0.0-1.0	.24	.28			
WB: Wonsqueak	0-4	---	---	---	0.10-0.30	1.41-42.34	0.20-0.40	---	80-99	---	---	2	8	0
	4-31	---	---	---	0.10-0.30	1.41-42.34	0.20-0.40	---	80-99	---	---			
	31-65	---	---	5-30	1.50-1.70	1.41-14.11	0.06-0.16	0.0-2.9	0.0-2.0	.49	.49			
Bucksport	0-13	---	---	0	0.10-0.30	1.41-42.34	0.20-0.50	---	80-99	---	---	3	8	0
	13-28	---	---	0	0.10-0.30	1.41-42.34	0.20-0.50	---	80-99	---	---			
	28-65	---	---	0	0.10-0.30	1.41-42.34	0.20-0.50	---	80-90	---	---			